

Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

E-Kleen SR 1060

Details of the supplier of the safety data sheet

Electrochemical Products Inc. 17000 West Lincoln Ave New Berlin, WI 53151 Phone: 262-786-9330

Emergency Phone #: NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

E-mail: us-sales@epi.com

www.epi.com Fax: 262-786-9403

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Hazardous to the Aquatic Environment - Chronic - Category 3

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention

Avoid release to the environment.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

Breathing mist or spray of this product may cause irritation to the upper respiratory tract and lung tissue. This product may be irritating to skin and eye tissues on contact. Ingestion of this product may cause irritation to the mouth, throat and gastrointestinal tract.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	70-75

Page 1 of 8 Issue date: 2018-03-21 Revision 2.0 Print date: 2018-03-21



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

68603-25-8	Alcohols, C8-10, ethoxylated propoxylated	3-4
39464-70-5	Polyethylene glycol phenyl ether phosphate	4-5
52019-36-0	Poly(oxy-1,2-ethanediyl), .alphadecylomega hydroxy-, phosphate	4-5
68084-34-4	Ethanol, 2,2',2"-nitrilotris-, compound with .alpha butylomegahydroxypoly(oxy-1,2-ethanediyl) phosphate	3-5
527-07-1	Sodium gluconate	9-11

Section 4 - FIRST AID MEASURES

Inhalation

Remove to fresh air. Give oxygen if breathing is difficult. Give artificial respiration if not breathing. Get immediate medical attention.

Skin

Immediately flush skin with lots of running water for 5 minutes. Remove contaminated clothing and shoes. Wash before reuse. Get immediate medical attention.

Eyes

Immediately flush with lots of running water for 15 minutes, lifting the upper and lower eye lids occasionally. Washing eyes within several seconds is essential to achieve maximum effectiveness. Get immediate medical attention.

Ingestion

Do not induce vomiting. Give large quantities of water. If available, give several glasses of milk. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water fog, dry chemical, or carbon dioxide may be used in areas where product is stored.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

None identified.

Hazardous Combustion Products

None identified.

Fire Fighting Measures

Protective clothing and self-contained breathing apparatus should be worn by fire fighters in areas where product is stored.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Page 2 of 8 Issue date: 2018-03-21 Revision 2.0 Print date: 2018-03-21



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

Isolate area. Keep unnecessary personnel away. Persons not wearing appropriate protective equipment should be excluded from area of spill until clean-up has been completed. Wear appropriate protective equipment and clothing during clean-up.

Methods and Materials for Containment and Cleaning Up

Block any potential routes to water systems. Stop source of leak if possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Incinerate spent absorbent material in an approved incinerator.

Environmental Precautions

Comply with regulations for spill reporting.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store in a well-ventilated place. Keep container tightly closed.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses with side shields or chemical goggles.

Skin Protection

Use of protective coveralls and long sleeves is recommended to prevent skin contact.

Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of vapors, wear appropriate respiratory protection.

Glove Recommendations

Use impervious gloves.

Protective Materials

Eye wash fountain and emergency showers are recommended.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Yellow liquid	Physical State	Liquid
Odor	Characteristic	Color	Yellow.
Odor Threshold	Not available	рН	4 - 4.5

Page 3 of 8 Issue date: 2018-03-21 Revision 2.0 Print date: 2018-03-21



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

Melting Point	Not available	Boiling Point	Not available
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>200 °F
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.0802 - 1.0902
Water Solubility	Complete	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

None identified.

Chemical Stability

This is a stable material.

Possibility of Hazardous Reactions

Will not occur.

Conditions to Avoid

High temperatures.

Incompatible Materials

Oxidizing materials.

Hazardous decomposition products

No data available.

Thermal decomposition products

Oxides of Carbon, Nitrogen and Phosphorous may be emitted if product burns.

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

Product Toxicity Data



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

Acute Toxicity Estimate

No data available.

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Transport waste material to an authorized waste location, or incinerate under controlled conditions. The U.S. EPA has not published waste numbers for this product's components. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Do not allow this material to drain into sewers/water supplies.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

Page 5 of 8 Issue date: 2018-03-21 Revision 2.0 Print date: 2018-03-21



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not listed under California Proposition 65

Canada Regulations

This material is not a controlled product under Canadian WHMIS regulations.

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory

Water (7732-18-5)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KECI -	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
Ye s	DS L	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes

Alcohols, C8-10, ethoxylated propoxylated (68603-25-8)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KECI -	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	No	Yes	Yes	No	No	Yes	No	No	Yes	Yes	No	Yes	Yes

Polyethylene glycol phenyl ether phosphate (39464-70-5)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI -	KR KECI -	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)	
----	----	----	----	----	--------------	--------------	-----------------	-----------------	----------------------	----	----	----	----	---------------	--

Page 6 of 8 Issue date: 2018-03-21 Revision 2.0 Print date: 2018-03-21



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

							Annex 1	Annex 2						
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes	No

Poly(oxy-1,2-ethanediyl), .alpha.-decyl-.omega.-hydroxy-, phosphate (52019-36-0)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL		KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes	No

Ethanol, 2,2',2''-nitrilotris-, compound with .alpha.-butyl-.omega.-hydroxypoly(oxy-1,2-ethanediyl) phosphate (68084-34-4)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	No	No	No	No	No	No	No	No	Yes	Yes	No	Yes	No

Sodium gluconate (527-07-1)

US	CA	EU	AU	PH	JP - ENCS		KECI -	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
Ye s	DS L	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend



Material Name: E-Kleen SR 1060 SDS ID: EPI-0465c

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Nonspecific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA -Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse..