SAFETY DATA SHEET

Revision date 13-Oct-2022



1. Identification Product identifier **Product Name** E-Kleen 129L Other means of identification EPI-0088C Product Code(s) UN1760 **UN number or ID number** None Synonyms Details of the supplier of the safety data sheet Manufacturer Address Electrochemical Products Inc. 17000 West Lincoln Ave New Berlin, WI 53151 Phone: 262-786-9330 E-mail: us-sales@epi.com www.epi.com

Emergency telephone number

Emergency Telephone

Fax: 262-786-9403

NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)


Not applicable

Label elements

Danger

Hazard statements

Harmful if swallowed Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dusts or mists Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor Rinse mouth Do NOT induce vomiting IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	50-60	*
Sodium hydroxide	1310-73-2	15-25	*
Potassium hydroxide	1310-58-3	10-15	*
Gluconates	Trade secret	1-10	*
Silicates	Trade secret	1-5	*
Surfactant	Trade secret	2-6	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Immediate medical attention may be required. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately if symptoms occur.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).	
Most important symptoms and effects, both acute and delayed		
Symptoms	Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.	

5. Fire-fighting measures		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials.	

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2			Ceiling: 2 mg/m ³
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	-	Ceiling: 2 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.

Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties	
Physical state	Liquid
Appearance	Clear liquid
Color	colorless
Odor	Odorless

Values

0

Property pH Melting point / freezing point Boiling point / boiling range Flash point Relative density Water solubility

Other information VOC Content (%)

13.0 - 14.0 7.2 - 10 - °C / 45 - 50 °F 104 °C / 219.2 °F No data available 1.4 - 1.5 Completely

Remarks • Method None known None known None known None known None known

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye

	damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May be harmful in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	964.10 mg/kg
ATEmix (dermal)	4,808.10 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Sodium hydroxide 1310-73-2	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Silicates	= 1960 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.

STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
			microorganisms	
Sodium hydroxide	-	LC50: =45.4mg/L (96h,	-	-
1310-73-2		Oncorhynchus mykiss)		
Silicates	-	LC50: 301 - 478mg/L	-	-
		(96h, Lepomis		
		macrochirus)		
		LC50: =3185mg/L (96h,		
		Brachydanio rerio)		

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Potassium hydroxide	0.65
1310-58-3	0.83

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

|--|

DOT reportable quantity kg	hydroxide: RQ (lb)= 1000.00, Sodium hydroxide: RQ (lb)= 1000.00 Potassium hydroxide: RQ (kg)= 3110.00, Sodium hydroxide: RQ (kg)= 2236.00
Reportable Quantity (RQ)	(Potassium hydroxide: RQ (kg)= 454.00, Sodium hydroxide: RQ (kg)= 454.00) Potassium
Packing group	II
Transport hazard class(es)	8
Proper shipping name	Corrosive liquids, n.o.s.
UN number or ID number	UN1760

EPI-0088C - E-Kleen 129L

(calculated) DOT Reportable Quantity lbs. (calculated) Special Provisions DOT Marine Pollutant Description Emergency Response Guide Number	Potassium hydroxide: RQ (lb)= 6849.00, Sodium hydroxide: RQ (lb)= 4926.00 B2, IB2, T11, TP2, TP27 NP UN1760, Corrosive liquids, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II 154
TDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Description	UN1760 Corrosive liquid, n.o.s. 8 II 16 UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II
MEX UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions	UN1760 Corrosive liquid, n.o.s. 8 II Sodium hydroxide, Potassium hydroxide UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II 274
ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN1760 Corrosive liquid, n.o.s. 8 II UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II A3
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN1760 Corrosive liquid, n.o.s. 8 II Sodium hydroxide, Potassium hydroxide UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II A3, A803 8L
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Description	UN1760 Corrosive liquid, n.o.s. 8 II F-A, S-B 274 NP UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II
RID UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	UN1760 Corrosive liquid, n.o.s. 8 II C9 274 UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II

<u>ADR</u>

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Classification code	C9
Tunnel restriction code	(E)
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II, (E)
ADN UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description Equipment Requirements	UN1760 Corrosive liquid, n.o.s. 8 II C9 274 UN1760, Corrosive liquid, n.o.s. (Sodium hydroxide, Potassium hydroxide), 8, II PP, EP

15. Regulatory information

International Inventories

TSCA

Complies

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active
			designation
Water	7732-18-5	Present	Active
Sodium hydroxide	1310-73-2	Present	Active
Potassium hydroxide	1310-58-3	Present	Active
Gluconates	-	Present	Active
Silicates	-	Present	Active
Surfactant	-	Present	Active

DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Sodium hydroxide	X	-	Х
1310-73-2			
Potassium hydroxide 1310-58-3	X	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information				
NFPA HMIS	Health hazards 3 Health hazards 3	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Special hazards - Personal protection X
Key or legend to abbreviations and acronyms used in the safety data sheet				
TWA Ceiling	8: Exposure controls/persona TWA (time-weighted average) Maximum limit value	•	STEL (Short Term Skin designation	n Exposure Limit)
Agency for Toxic U.S. Environment European Food S EPA (Environmen Acute Exposure C U.S. Environment		ry (ATSDR) v Database secticide, Fungicide, and F		

International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date	13-Oct-2022
Revision Note	No information available.
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet