SAFETY DATA SHEET

Revision date 07-Apr-2022



٦

1. Identification	
Product identifier	
Product Name	E-Kleen 190 NE
Other means of identification	
Product Code(s)	EPI-0113C
Synonyms	None
Details of the supplier of the safety	data sheet
Manufacturer Address Electrochemical Products Inc. 17000 West Lincoln Ave New Berlin, WI 53151 Phone: 262-786-9330 E-mail: us-sales@epi.com www.epi.com Fax: 262-786-9403	
Emergency telephone number	
Emergency Telephone	NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements Causes severe skin burns and eye damage				
Appearance Cl	ear Solution Phy	sical state Liquid	Odor	Mild Sweet Odor

Precautionary Statements - Prevention

Do not breathe dusts or mists Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	60-90	*
Ethanolamine	141-43-5	4-10	*
Dipropylene glycol monomethyl ether	34590-94-8	4-10	*
Sodium silicate	1344-09-8	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures	

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated

	clothes and shoes. Get immediate medical advice/attention.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).
Most important symptoms and eff	ects, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medic	cal attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures		
Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	nent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid contact with
skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory
equipment. Handle product only in closed system or provide appropriate exhaust
ventilation. Do not eat, drink or smoke when using this product. Take off contaminated
clothing and wash before reuse.Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m ³	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m ³
		(vacated) TWA: 8 mg/m ³	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m ³
		(vacated) STEL: 15 mg/m ³	-
Dipropylene glycol monomethyl	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
ether	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
34590-94-8	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	
		S*	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection Respiratory protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. No protective equipment is needed under normal use conditions. If exposure limits are
	exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear Solution
Color	colorless
Odor	Mild Sweet Odor

Property
рН
Melting point / freezing point
Boiling point / boiling range
Flash point
Relative density
Water solubility
-

Other information VOC Content (%) No data available 101 °C / 213.8 °F No data available 1.015 - 1.035 Complete

No information available

Values

11 - 12.49

None known None known None known None known None known None known

Remarks • Method

10. Stability and reactivity

Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions None under normal processing.		
Conditions to avoid Exposure to air or moisture over prolonged periods.		
Incompatible materials Acids. Bases. Oxidizing agent.		
Hazardous decomposition products None known based on information supplied.		

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	14,363.80 mg/kg
ATEmix (dermal)	11,982.40 mg/kg
ATEmix (inhalation-dust/mist)	19.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Ethanolamine	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	>1.3 mg/L (Rat)6 h
141-43-5			
Dipropylene glycol monomethyl	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-
ether			
34590-94-8			
Sodium silicate	= 1960 mg/kg (Rat)	-	-
1344-09-8			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Central nervous system.

Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
	EQEO 45 (1 (70)	1.050.444.400	microorganisms	EQE0 05 (1 (40)
Ethanolamine	EC50: =15mg/L (72h,	LC50: 114 - 196mg/L	-	EC50: =65mg/L (48h,
141-43-5	Desmodesmus	(96h, Oncorhynchus		Daphnia magna)
	subspicatus)	mykiss) LC50: 300 - 1000mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =227mg/L (96h,		
		Pimephales promelas)		
		LC50: =3684mg/L (96h,		
		Brachydanio rerio)		
		LC50: >200mg/L (96h,		
		Oncorhynchus mykiss)		
Dipropylene glycol	-	LC50: >10000mg/L (96h,	-	LC50: =1919mg/L (48h,
monomethyl ether		Pimephales promelas)		Daphnia magna)
34590-94-8				
Sodium silicate	-	LC50: 301 - 478mg/L	-	-
1344-09-8		(96h, Lepomis		
		macrochirus)		
		LC50: =3185mg/L (96h,		
		Brachydanio rerio)		

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethanolamine 141-43-5	-1.91
Dipropylene glycol monomethyl ether 34590-94-8	-0.064

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT

Not regulated

15. Regulatory information

International Inventories

TSCA

Complies

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Ethanolamine	141-43-5	Present	Active
Dipropylene glycol monomethyl ether	34590-94-8	Present	Active
Proprietary Surfactant	-	Present	Active
Sodium silicate	1344-09-8	Present	Active
Proprietary Surfactant	-	Present	Active

DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Does not comply
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Ethanolamine 141-43-5	Х	-	Х
Dipropylene glycol monomethyl ether 34590-94-8	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information								
NFPA HMIS	Health hazards 3 Health hazards 3	Flammability Flammability		Instability 0 Physical hazards 0	Special hazards - Personal protection X			
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection								
	(time-weighted average) mum limit value	S *	STEL	STEL (Short Tei Skin designatior	rm Exposure Limit) າ			
Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Develop								

World Health Organization

Revision date Revision Note Disclaimer 07-Apr-2022 No information available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet