SAFETY DATA SHEET

Revision date 01-Apr-2022 **Revision Number** 1

1. Identification

Product identifier

Product Name E-Pik 210

Other means of identification

Product Code(s) EPI-0390C

UN number or ID number UN1760

Synonyms None

Details of the supplier of the safety data sheet

Manufacturer Address
Electrochemical Products Inc.
17000 West Lincoln Ave
New Berlin, WI 53151
Phone: 262-786-9330
E-mail: us-sales@epi.com
www.epi.com
Fax: 262-786-9403

Emergency telephone number

Emergency Telephone NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

2. Hazard(s) identification

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A

Hazards not otherwise classified (HNOC)
Not applicable

Label elements

Danger

Hazard statements
Fatal if inhaled
Causes severe skin burns and eye damage
May cause cancer

Appearance Pale yellow liquid **Physical state** Liquid **Odor** Characteristic

Precautionary Statements - Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wear respiratory protection
Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response
Immediately call a POISON CENTER or doctor
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
Wash contaminated clothing before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTER or doctor
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage
Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

Other information
May be harmful if swallowed.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	60-75	*
Sulfuric acid	7664-93-9	15-25	*
Nitric acid	7697-37-2	4-8	*
Fluoroboric acid	16872-11-0	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Attention! Corrosive material.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Protect from moisture. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid 7664-93-9	TWA: 0.2 mg/m³ thoracic particulate matter	TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³	IDLH: 15 mg/m³ TWA: 1 mg/m³
Nitric acid 7697-37-2	STEL: 4 ppm TWA: 2 ppm	TWA: 2 ppm TWA: 5 mg/m³ (vacated) TWA: 2 ppm (vacated) TWA: 5 mg/m³ (vacated) STEL: 4 ppm (vacated) STEL: 10 mg/m³	IDLH: 25 ppm TWA: 2 ppm TWA: 5 mg/m³ STEL: 4 ppm STEL: 10 mg/m³
Fluoroboric acid 16872-11-0	TWA: 2.5 mg/m³ F	TWA: 2.5 mg/m³ F (vacated) TWA: 2.5 mg/m³	IDLH: 250 mg/m³ F

Biological occupational exposure limits
This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Pale yellow liquid
Color	Pale yellow
Odor	Characteristic

Property	Values	Remarks • Method
pH	< 1	None known
Melting point / freezing point	< 0 °C / 32 °F	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	No data available	None known
Relative density	1.23 - 1.26	None known
Water solubility	Complete	None known

Other information

VOC Content (%)	No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat. Exposure to air or moisture over prolonged periods.
Incompatible materials	Acids. Bases. Oxidizing agent.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on components). Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause blindness.

Acute toxicity

Numerical measures of toxicity
No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,688.00 mg/kg
ATEmix (inhalation-dust/mist) 0.080 mg/l
ATEmix (inhalation-vapor) 39.00 mg/l

Unknown acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Sulfuric acid 7664-93-9	= 2140 mg/kg (Rat)	-	= 0.375 mg/L (Rat) 4 h
Nitric acid 7697-37-2	-	-	= 2500 ppm (Rat) 1 h
Fluoroboric acid 16872-11-0	100 - 200 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid 7664-93-9	-	Group 1	Known	X
Nitric acid 7697-37-2	-	Group 2A Group 1	-	X

Legend

IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
NTP (National Toxicology Program)
Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Liver, Respiratory system, Eyes, Skin, Gastrointestinal tract (GI), Teeth.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric acid 7664-93-9	-	LC50: >500mg/L (96h, Brachydanio rerio)	-	-
Fluoroboric acid 16872-11-0	-	LC50: =2600mg/L (96h, Brachydanio rerio)	-	-

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Nitric acid 7697-37-2	-2.3

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT

UN number or ID number	UN1760
Proper shipping name	Corrosive liquids, n.o.s.
Transport hazard class(es)	8
Packing group	II
Reportable Quantity (RQ)	(Nitric acid: RQ (kg)= 454.00, Sulfuric acid: RQ (kg)= 454.00) Nitric acid: RQ (lb)= 1000.00, Sulfuric acid: RQ (lb)= 1000.00
DOT reportable quantity kg (calculated)	Nitric acid: RQ (kg)= 7567.00, Sulfuric acid: RQ (kg)= 2259.00
DOT Reportable Quantity lbs. (calculated)	Nitric acid: RQ (lb)= 16667.00, Sulfuric acid: RQ (lb)= 4975.00
Special Provisions	B2, IB2, T11, TP2, TP27
DOT Marine Pollutant	NP
Description	UN1760, Corrosive liquids, n.o.s. (Sulfuric acid, Nitric acid), 8, II
Emergency Response Guide Number	154

TDG

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Special Provisions	16
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II

MEX

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Technical Name	Sulfuric acid, Nitric acid
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II
Special Provisions	274

ICAO (air)

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II
Special Provisions	A3

IATA

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Technical Name	Sulfuric acid, Nitric acid

Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II
Special Provisions	A3, A803
ERG Code	8L

IMDG

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
EmS-No	F-A, S-B
Special Provisions	274
Marine pollutant	NP
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II

RID

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Classification code	C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II

ADR

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Classification code	C9
Tunnel restriction code	(E)
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II, (E)

ADN

UN number or ID number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s.
Transport hazard class(es)	8
Packing group	II
Classification code	C9
Special Provisions	274
Description	UN1760, Corrosive liquid, n.o.s. (Sulfuric acid, Nitric acid), 8, II
Equipment Requirements	PP, EP

15. Regulatory information

International Inventories

TSCA Complies

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Sulfuric acid	7664-93-9	Present	Active
Trade secret	-	Present	Active
Nitric acid	7697-37-2	Present	Active
Fluoroboric acid	16872-11-0	Present	Active

DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Complies

IECSC	Complies
KECL	Does not comply
PICCS	Complies
AICS	Complies

Legend:
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories
Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)
This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA
This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Nitric acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65
This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Sulfuric acid - 7664-93-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Sulfuric acid 7664-93-9	X	-	X
Trade secret	X	-	X
Nitric acid 7697-37-2	X	-	X
Fluoroboric acid	X	-	-

16872-11-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	**Health hazards** 4	**Flammability** 0	**Instability** 0	**Special hazards** -
HMIS	**Health hazards** 4 *	**Flammability** 0	**Physical hazards** 0	**Personal protection** X

Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 01-Apr-2022
Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet