SAFETY DATA SHEET

Revision date 18-Jul-2022



Revision Number 1

Product identifier			
Product Name	B/OX 312 Gel		
Other means of identification			
Product Code(s)	EPI-0188C		
UN number or ID number	UN3264		
Synonyms	None		
Details of the supplier of the sa	fety data sheet		
Manufacturer Address Electrochemical Products Inc. 17000 West Lincoln Ave New Berlin, WI 53151 Phone: 262-786-9330 E-mail: us-sales@epi.com www.epi.com Fax: 262-786-9403			
Emergency telephone number			
Emergency Telephone	NCEC (#EPI-29003) +1 202 46	4 2554, +44 1865 407333	
2. Hazard(s) identification	on		
Classification			
Skin corrosion/irritation		Category 1	
Serious eye damage/eye irritation	1	Category 1	
Serious eye damage/eye irritation Hazards not otherwise classifie		Category 1	
Serious eye damage/eye irritation Hazards not otherwise classifie		Category 1	
Serious eye damage/eye irritation Hazards not otherwise classifie Not applicable		Category 1	
Serious eye damage/eye irritation Hazards not otherwise classifie Not applicable		Category 1	
Serious eye damage/eye irritation Hazards not otherwise classifie Not applicable Label elements Danger Hazard statements	ed (HNOC)	Category 1	
Serious eye damage/eye irritation Hazards not otherwise classifie Not applicable Label elements Danger	ed (HNOC)	Category 1	

Appearance Blue Gel

Physical state Liquid

Odor Characteristic

Precautionary Statements - Prevention

Do not breathe dusts or mists Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	90-96	*
Phosphoric acid	7664-38-2	1-2	*
Zinc chloride	7646-85-7	0-2	*
Thickener	Trade secret	0-2	*
Sulfuric acid, copper(2+) salt (1:1)	7758-98-7	0-2	*
Selenious acid	7783-00-8	0-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

	eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.	
Explosion data Sensitivity to mechanical impac	t None.	
Sensitivity to static discharge	None.	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
7664-38-2	TWA: 1 mg/m ³	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
		(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³
Zinc chloride	STEL: 2 mg/m ³ fume	TWA: 1 mg/m ³ fume	IDLH: 50 mg/m ³ fume
7646-85-7	TWA: 1 mg/m ³ fume	(vacated) TWA: 1 mg/m ³ fume	TWA: 1 mg/m ³ fume
		(vacated) STEL: 2 mg/m ³ fume	STEL: 2 mg/m ³ fume
Sulfuric acid, copper(2+) salt	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and
(1:1)			mist
7758-98-7			TWA: 1 mg/m ³ Cu dust and
			mist
Selenious acid	TWA: 0.2 mg/m ³ Se	TWA: 0.2 mg/m ³ Se	IDLH: 1 mg/m ³ Se
7783-00-8	-	(vacated) TWA: 0.2 mg/m ³ Se	TWA: 0.2 mg/m ³ except
			Selenium hexafluoride Se

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Tight sealing safety goggles. Face protection shield.	
Hand protection	Wear suitable gloves. Impervious gloves.	
Skin and body protection Respiratory protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. No protective equipment is needed under normal use conditions. If exposure limits are	

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties		
Physical state Appearance Color Odor	Liquid Blue Gel Blue Gel Characteristic	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Relative density Water solubility	<u>Values</u> 1.55 - 1.75 0 °C / 32 °F 105 °C / 221 °F No data available 1.24 - 1.28 Completely	<u>Remarks • Method</u> None known None known None known None known None known
Other information VOC Content (%)	0	
10. Stability and reactivity		
Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	

Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.

Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
wmptoms related to the p	hysical, chemical and toxicological characteristics

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-dust/mist) 15.1786 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³(Rat)1 h
Zinc chloride 7646-85-7	= 1100 mg/kg(Rat)	-	<= 1975 mg/m ³ (Rat) 10 min
Sulfuric acid, copper(2+) salt (1:1) 7758-98-7	= 300 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Selenious acid	-	Group 3	-	-
7783-00-8				

Legend

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

No information available.

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Central Vascular System (CVS).
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric acid, copper(2+) salt (1:1) 7758-98-7	-	LC50: =0.1mg/L (96h, Oncorhynchus mykiss)	-	EC50: 0.0058 - 0.0073mg/L (48h, Daphnia magna)
Persistence and degradability No information available.				
Bioaccumulation There is no data for this product.				

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	U204

14. Transport information

DOT	
UN number or ID number	UN3264
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Transport hazard class(es)	8
Packing group	
Reportable Quantity (RQ)	(Selenious acid: RQ (kg)= 4.54, Sulfuric acid, copper(2+) salt (1:1): RQ (kg)= 4.54) Selenious acid: RQ (lb)= 10, Sulfuric acid, copper(2+) salt (1:1): RQ (lb)= 10
DOT reportable quantity kg (calculated)	Selenious acid: RQ (kg)= 2389.00, Sulfuric acid, copper(2+) salt (1:1): RQ (kg)= 1566.00
DOT Reportable Quantity lbs. (calculated)	Selenious acid: RQ (lb)= 5263.00, Sulfuric acid, copper(2+) salt (1:1): RQ (lb)= 3448.00

Special Provisions	386, B2, IB2, T11, TP2, TP27			
DOT Marine Pollutant Description Emergency Response Guide	NP UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II 154			
Number				
TDG				
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Description	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II 16 UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II			
-				
MEX UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II Phosphoric acid, Zinc chloride UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II 274			
ICAO (air)				
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II A3			
ΙΑΤΑ				
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II Phosphoric acid, Zinc chloride UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II A3, A803 8L			
IMDG				
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Description	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II F-A, S-B 274 NP UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II			
RID				
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8 II C1 274 UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II			
ADR				
UN number or ID number UN proper shipping name Transport hazard class(es)	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. 8			

Packing group Classification code Tunnel restriction code Special Provisions Description	II C1 (E) 274 UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II, (E)
ADN	
UN number or ID number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Transport hazard class(es)	8
Packing group	II
Classification code	C1
Special Provisions	274
Description	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Zinc chloride), 8, II
Equipment Requirements	PP, EP

15. Regulatory information

International Inventories

TSCA

Complies

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Phosphoric acid	7664-38-2	Present	Active
Zinc chloride	7646-85-7	Present	Active
Thickener	-	Present	Active
Sulfuric acid, copper(2+) salt (1:1)	7758-98-7	Present	Active
Selenious acid	7783-00-8	Present	Active

DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate

classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Phosphoric acid 7664-38-2	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Zinc chloride 7646-85-7	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric acid, copper(2+) salt (1:1) 7758-98-7	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
Selenious acid 7783-00-8	10 lb	10 lb	RQ 10 lb final RQ RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Phosphoric acid 7664-38-2	Х	-	Х
Zinc chloride 7646-85-7	Х	-	Х
Sulfuric acid, copper(2+) salt (1:1) 7758-98-7	Х	-	Х
Selenious acid 7783-00-8	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Special hazards -	
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X	
	<u>d to abbreviations and acronyms u</u> ion 8: Exposure controls/personal		<u>sheet</u>		
TWA	TWA (time-weighted average)	STEL	STEL (Short Terr	m Exposure Limit)	
Ceiling	Maximum limit value	*	Skin designation		
Key literature	e references and sources for data (used to compile the SE	DS		

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date	18-Jul-2022
Revision Note	No information available.
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet