



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

E-Brite Ultra Cu Pb-pHA

Details of the supplier of the safety data sheet

Electrochemical Products Inc.

17000 West Lincoln Ave

New Berlin, WI 53151

Phone: 262-786-9330

Emergency Phone #: NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

E-mail: us-sales@epi.com

www.epi.com

Fax: 262-786-9403

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Skin Corrosion/Irritation - Category 1

Serious Eye Damage/Eye Irritation - Category 1

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

Causes severe skin burns and eye damage.

Precautionary Statement(s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

Do not breathe dusts or mists.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

Specific treatment (see label).



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	80-90
584-08-7	Carbonic acid, dipotassium salt	15-25

Section 4 - FIRST AID MEASURES

Inhalation

Immediately move victim to fresh air. If symptoms persist, seek medical attention.

Skin

Wash skin with soap and water. If irritation persists get medical attention.

Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Give several glasses of water. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use methods for the surrounding fire.

Unsuitable Extinguishing Media

None identified.

Special Hazards Arising from the Chemical

None identified.

Hazardous Combustion Products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Advice for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Fire Fighting Measures

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Use methods for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Wear appropriate personal protective equipment.

Methods and Materials for Containment and Cleaning Up

Isolate area. Keep unnecessary personnel away.

Environmental Precautions

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Do not reuse the empty container.

Conditions for Safe Storage, Including any Incompatibilities

Store locked up.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Local exhaust is suggested for use, where possible, in enclosed or confined spaces.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear chemical goggles; face shield (if splashing is possible).

Skin Protection

Use impervious gloves. Use of protective coveralls and long sleeves is recommended. Use of an impervious apron is recommended.

Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

Glove Recommendations

Use impervious gloves.

Protective Materials

Eye wash fountain and emergency showers are recommended.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear Solution	Physical State	Liquid
Odor	Odorless	Color	Not available
Odor Threshold	Not available	pH	11.8 - 12.4
Melting Point	Not available	Boiling Point	218 °F (103 °C)



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Boiling Point Range	Not available	Freezing point	32 °F (0 °C)
Evaporation Rate	(Approx. equal to Water)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	(Approx. equal to water)	Specific Gravity (water=1)	1.19 - 1.21
Water Solubility	Completely	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
VOC	0	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY

Reactivity

Will not occur.

Chemical Stability

This is a stable material.

Possibility of Hazardous Reactions

None.

Conditions to Avoid

None.

Incompatible Materials

This product may react with strong acids or oxidizing agents.

Hazardous decomposition products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

Carbonic acid, dipotassium salt (584-08-7)

Oral LD50 Rat 1870 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Inhalation - Vapor	> 20 mg/L
Oral	> 2000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Carbonic acid, dipotassium salt	584-08-7
Invertebrate:	LC50 48 h Ceriodaphnia dubia 630 mg/L EPA

Section 13 - DISPOSAL CONSIDERATIONS



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Disposal Methods

Dispose of waste material in accordance with all applicable Federal, State or provincial and local environmental regulations. See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Skin Corrosion/Irritation; Serious Eye Damage/Eye Irritation

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Canada Regulations

This material is a controlled product under Canadian WHMIS regulations.

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Carbonic acid, dipotassium salt	584-08-7
	1 %

Component Analysis - Inventory Water (7732-18-5)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Carbonic acid, dipotassium salt (584-08-7)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 1 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit



Safety Data Sheet

Material Name: E-Brite Ultra Cu Pb-pHA

SDS ID: EPI-0312c

Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse..