



## Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name**

E-Seal 1007

**Product Use**

Chromate Sealer.

**Details of the supplier of the safety data sheet**

Electrochemical Products Inc.

17000 West Lincoln Ave

New Berlin, WI 53151

Phone: 262-786-9330

Emergency Phone #: NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

E-mail: us-sales@epi.com

www.epi.com

Fax: 262-786-9403

### Section 2 - HAZARDS IDENTIFICATION

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

None needed according to classification criteria.

**GHS Label Elements**

**Symbol(s)**

None needed according to classification criteria.

**Signal Word**

None needed according to classification criteria

**Hazard Statement(s)**

None needed according to classification criteria.

**Precautionary Statement(s)**

**Prevention**

None needed according to classification criteria.

**Response**

None needed according to classification criteria.

**Storage**

None needed according to classification criteria.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other Hazards**

Vapors may be irritating and cause eye discomfort and direct eye contact irritation could be severe. May be harmful in contact with skin. May be harmful if swallowed or if inhaled.

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	75-80



## Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

1344-09-8

Sodium silicate

10-15

### Section 4 - FIRST AID MEASURES

#### Inhalation

If inhaled, immediately remove the affected person to fresh air.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### Eyes

Flush immediately with water for at least 15 minutes. Do not rub eyes. If irritation persists, get medical attention.

#### Ingestion

If swallowed, give milk or water to dilute. Seek medical attention immediately. Never give anything by mouth to an unconscious person. Call a physician immediately.

### Section 5 - FIRE FIGHTING MEASURES

#### Extinguishing Media

##### Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

##### Unsuitable Extinguishing Media

None identified.

##### Special Hazards Arising from the Chemical

None identified.

##### Hazardous Combustion Products

Carbon monoxide and carbon dioxides.

##### Advice for firefighters

None identified.

##### Fire Fighting Measures

Use methods suitable to fight surrounding fire.

### Section 6 - ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye/face protection.

#### Methods and Materials for Containment and Cleaning Up

Contain the spill. Mop up or squeegee into container or absorb with inert material.

#### Environmental Precautions

Do not allow to enter sewers or waterways.

### Section 7 - HANDLING AND STORAGE

#### Precautions for Safe Handling

Wash thoroughly after handling. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings on containers as if they were full.

#### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.



## Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

Keep containers closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible materials (see Section 10).

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

#### Engineering Controls

Local exhaust is suggested for use, where possible, in enclosed or confined spaces.

#### Individual Protection Measures, such as Personal Protective Equipment

##### Eye/face protection

Safety glasses. It is generally recognized that contact lenses should not be worn when working with chemicals because they may contribute to the severity of an eye injury.

##### Skin Protection

Wear rubber gloves, long sleeved shirt and trousers.

##### Respiratory Protection

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits.

Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

##### Glove Recommendations

Wear rubber gloves.

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Clear liquid.	<b>Physical State</b>	Liquid
<b>Odor</b>	Characteristic.	<b>Color</b>	Colorless to yellow.
<b>Odor Threshold</b>	Not available	<b>pH</b>	10.3 - 10.5
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	212 °F
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	32 °F (0 °C)
<b>Evaporation Rate</b>	(Approx. equal to Water)	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available



## Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

Vapor Density (air=1)	(Approx. equal to water)	Specific Gravity (water=1)	0.995 - 1.05
Water Solubility	Completely	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Molecular Weight	Not available		

### Section 10 - STABILITY AND REACTIVITY

#### Reactivity

No known hazardous reactions.

#### Chemical Stability

This is a stable material.

#### Possibility of Hazardous Reactions

None identified. Hazardous polymerization will not occur.

#### Conditions to Avoid

None identified.

#### Incompatible Materials

Strong oxidizing agents, acids.

#### Hazardous decomposition products

None identified. Carbon monoxide and carbon dioxides.

#### Thermal decomposition products

None identified.

### Section 11 - TOXICOLOGICAL INFORMATION

#### Acute and Chronic Toxicity

##### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

##### Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

##### Sodium silicate (1344-09-8)

Oral LD50 Rat 1960 mg/kg

##### Product Toxicity Data

##### Acute Toxicity Estimate

Dermal	--
Inhalation - Vapor	--
Oral	--



## Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

### Immediate Effects

No information on significant adverse effects.

### Delayed Effects

No information on significant adverse effects.

### Irritation/Corrosivity Data

No data available.

### Respiratory Sensitization

No data available.

### Dermal Sensitization

No data available.

### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

### Germ Cell Mutagenicity

No data available.

### Tumorigenic Data

No data available

### Reproductive Toxicity

No data available.

### Specific Target Organ Toxicity - Single Exposure

No data available.

### Specific Target Organ Toxicity - Repeated Exposure

No data available.

### Aspiration hazard

No data available.

### Medical Conditions Aggravated by Exposure

No data available.

## Section 12 - ECOLOGICAL INFORMATION

### Component Analysis - Aquatic Toxicity

Sodium silicate	1344-09-8
Fish:	LC50 96 h Lepomis macrochirus 301 - 478 mg/L; LC50 96 h Brachydanio rerio 3185 mg/L [semi-static ]

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

No Classification assigned.



# Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

### International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

<b>Sodium silicate</b>	<b>1344-09-8</b>
IBC Code:	Category Y (solution)

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan. All components are on the U.S. EPA TSCA Inventory List. Supplier(s) of proprietary component(s) have stated that their components appear on the Canadian DSL/NDSL.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

### U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

### Component Analysis - Inventory

#### Water (7732-18-5)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	No	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW, CN	VN (Draft)
No	Yes	Yes	Yes	No	No	No

#### Sodium silicate (1344-09-8)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW, CN	VN (Draft)
No	Yes	Yes	Yes	No	No	No

## Section 16 - OTHER INFORMATION

### HMIS Rating



## Safety Data Sheet

Material Name: E-Seal 1007

SDS ID: EPI-0213c

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

### NFPA Ratings

Health: 2 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

### Other Information

#### Disclaimer:

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse..