SAFETY DATA SHEET

Revision date 23-Nov-2022



Revision Number 1

1. Identification Product identifier E-Prep 270 M **Product Name** Other means of identification EPI-0435C Product Code(s) UN1760 **UN number or ID number** Synonyms None Details of the supplier of the safety data sheet Manufacturer Address Electrochemical Products Inc. 17000 West Lincoln Ave New Berlin, WI 53151 Phone: 262-786-9330 E-mail: us-sales@epi.com www.epi.com Fax: 262-786-9403

Emergency telephone number

Emergency Telephone

NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A


Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements Harmful if swallowed Fatal if inhaled Toxic if inhaled Causes severe skin burns and eye damage May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear respiratory protection

Precautionary Statements - Response

IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Trade secret
Water	7732-18-5	40-50	*
Phosphoric acid	7664-38-2	30-35	*
Hydrochloric acid	7647-01-0	15-20	*
Nitric acid	7697-37-2	2-8	*
Surfactants	Trade secret	0.9-0.95	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.	
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. If swallowed, call a poison control center or physician immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.	

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Explosion data Sensitivity to mechanical impact None.	
Sensitivity to static discharge	None.
Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout

fire-fighters

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Attention! Corrosive material.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage	
Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Protect from moisture. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
7664-38-2	TWA: 1 mg/m ³	(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³
		(vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³
Hydrochloric acid	Ceiling: 2 ppm	Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		Ceiling: 7 mg/m ³	Ceiling: 5 ppm
			Ceiling: 7 mg/m ³
Nitric acid	STEL: 4 ppm	TWA: 2 ppm	IDLH: 25 ppm
7697-37-2	TWA: 2 ppm	TWA: 5 mg/m ³	TWA: 2 ppm
		(vacated) TWA: 2 ppm	TWA: 5 mg/m ³
		(vacated) TWA: 5 mg/m ³	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m ³
		(vacated) STEL: 10 mg/m ³	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear liquid
Color	colorless
Odor	Acidic

Property_	Values	Remarks • Method
pH	< 1	None known
Melting point / freezing point	0 °C / 32 °F	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	No data available	None known
Relative density	1.17 - 1.25	None known
Water solubility	Completely	None known
Other information		
VOC Content (%)	0	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat. Exposure to air or moisture over prolonged periods.
Incompatible materials	Acids. Bases. Oxidizing agent.
Hazardous decomposition products None known based on information supplied.	

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on components). Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause blindness.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,047.00 mg/kg
ATEmix (dermal)	6,612.80 mg/kg
ATEmix (inhalation-gas)	2,028.50 ppm
ATEmix (inhalation-dust/mist)	0.098 mg/l
ATEmix (inhalation-vapor)	38.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat)1 h
7664-38-2			
Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat)1 h
7647-01-0			
Nitric acid	-	-	= 2500 ppm (Rat) 1 h
7697-37-2			
Surfactants	= 1700 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes burns.

EPI-0435C - E-Prep 270 M

Serious eye damage/eye irri	tation Classification Causes burn	n based on data available fo is.	or ingredients. Risk of serio	ous damage to eyes.
Respiratory or skin sensitiza	ation No information	on available.		
Germ cell mutagenicity	No information	on available.		
Carcinogenicity	ingredients.	nown or suspected carcino May cause cancer.	0	on data available for
The table below indicates wh	ether each agency ha	s listed any ingredient as a	carcinogen.	
Chemical name	ACGIH	IARC	NTP	0SHA

Chemical name	ACGIH	IARC	NIP	OSHA
Hydrochloric acid	-	Group 3	-	Х
7647-01-0				
Nitric acid	-	Group 2A	-	Х
7697-37-2		Group 1		

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Teeth.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Persistence and degradability No informat

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Phosphoric acid	-0.9
7664-38-2	

Nitric acid	-2.3
7697-37-2	

Other adverse effects

No information available.

13. Disposal consideration	13. Disposal considerations			
Waste treatment methods				
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.			
Contaminated packaging	Do not reuse empty containers.			

14. Transport information

DOT UN number or ID number Proper shipping name Transport hazard class(es) Packing group Reportable Quantity (RQ)	UN1760 Corrosive liquids, n.o.s. 8 II (Nitric acid: RQ (kg)= 454.00, Phosphoric acid: RQ (kg)= 2270.00, Hydrochloric acid: RQ (kg)= 2270.00) Nitric acid: RQ (lb)= 1000.00, Phosphoric acid: RQ (lb)= 5000.00, Hydrochloric acid: RQ (lb)= 5000.00
DOT reportable quantity kg (calculated) DOT Reportable Quantity Ibs. (calculated) Special Provisions DOT Marine Pollutant Marine pollutant Description	Nitric acid: RQ (kg)= 10810.00, Phosphoric acid: RQ (kg)= 7161.00, Hydrochloric acid: RQ (kg)= 12753.00 Nitric acid: RQ (lb)= 23810.00, Phosphoric acid: RQ (lb)= 15773.00, Hydrochloric acid: RQ (lb)= 28090.00 B2, IB2, T11, TP2, TP27 I Nitric acid UN1760, Corrosive liquids, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II, Marine pollutant (Nitric acid)
Emergency Response Guide Number	154
TDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Marine pollutant Description	UN1760 Corrosive liquid, n.o.s. 8 II 16 Nitric acid. UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II
<u>MEX</u> UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions	UN1760 Corrosive liquid, n.o.s. 8 II Phosphoric acid, Hydrochloric acid UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II 274
ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	UN1760 Corrosive liquid, n.o.s. 8 II

Description	UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II
Special Provisions	A3
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN1760 Corrosive liquid, n.o.s. 8 II Phosphoric acid, Hydrochloric acid UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II A3, A803 8L
IMDG	UN1760
UN number or ID number	Corrosive liquid, n.o.s.
UN proper shipping name	8
Transport hazard class(es)	II
Packing group	F-A, S-B
EmS-No	274
Special Provisions	P
Marine pollutant	Nitric acid
Marine Pollutant	UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid, Nitric acid), 8, II,
Description	Marine pollutant
RID	UN1760
UN number or ID number	Corrosive liquid, n.o.s.
UN proper shipping name	8
Transport hazard class(es)	II
Packing group	C9
Classification code	274
Special Provisions	UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II,
Description	Environmentally Hazardous
ADR	UN1760
UN number or ID number	Corrosive liquid, n.o.s.
UN proper shipping name	8
Transport hazard class(es)	II
Packing group	C9
Classification code	(E)
Tunnel restriction code	274
Special Provisions	UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II, (E),
Description	Environmentally Hazardous
ADN	UN1760
UN number or ID number	Corrosive liquid, n.o.s.
UN proper shipping name	8
Transport hazard class(es)	II
Packing group	C9
Classification code	274
Special Provisions	UN1760, Corrosive liquid, n.o.s. (Phosphoric acid, Hydrochloric acid), 8, II,
Description	Environmentally Hazardous
Equipment Requirements	PP, EP

15. Regulatory information

International Inventories

TSCA

Complies

EPI-0435C - E-Prep 270 M

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Phosphoric acid	7664-38-2	Present	Active
Hydrochloric acid	7647-01-0	Present	Active
Nitric acid	7697-37-2	Present	Active
Surfactants	-	Present	Active
Surfactant	-	Present	Active
Surfactant	-	Present	Active

DSL/NDSL	Complies		
EINECS/ELINCS	Does not comply		
ENCS	Complies		
IECSC	Complies		
KECL	Complies		
PICCS	Complies		
AICS	Complies		

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Phosphoric acid 7664-38-2	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ
Nitric acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Phosphoric acid 7664-38-2	х	-	Х
Hydrochloric acid 7647-01-0	Х	-	Х
Nitric acid 7697-37-2	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA <u>HMIS</u> Chronic Hazard Star Lege	Health hazards 4 * F	lammability 0 lammability 0 th Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X	
Legend Section 8: Ex TWA TWA	eviations and acronyms used posure controls/personal pro A (time-weighted average) kimum limit value			n Exposure Limit)	
Ceiling Maximum limit value Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Kireening Inf					
Revision date Revision Note <u>Disclaimer</u> The information provio	23-Nov-2022 No information ded in this Safety Data Sheet		st of our knowledge, infor	mation and belief at the	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text. End of Safety Data Sheet