



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

B/OX 316 Gel

Product Use

Antiquing Solution.

Manufacturer Information

Electrochemical Products Inc.
17000 West Lincoln Ave
New Berlin, WI 53151
Phone: 262-786-9330
Emergency Phone #: Chemtrec #800-424-9300 (CCN7498)
E-mail: us-sales@epi.com
www.epi.com
Fax: 262-786-9403

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute Toxicity - Oral - Category 4
Skin Corrosion/Irritation - Category 1
Serious Eye Damage/Eye Irritation - Category 1
Hazardous to the Aquatic Environment - Acute - Category 1
Hazardous to the Aquatic Environment - Chronic - Category 1

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

Harmful if swallowed
Causes severe skin burns and eye damage
Very toxic to aquatic life with long lasting effects

Precautionary Statement(s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection
Wash thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid release to the environment
Do not breathe dusts or mists

Response

Collect spillage
IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
Immediately call a POISON CENTER or doctor
Specific treatment (see label)

Storage

Store locked up

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	40-60
12125-02-9	Ammonium chloride	15-25
7664-41-7	Ammonia	15-30
1313-27-5	Molybdenum trioxide	5-10
7758-98-7	Copper (II) sulfate	3-8



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Give artificial respiration if not breathing. Seek medical attention.

Skin

Immediately flush skin with lots of running water for 30 minutes. Remove contaminated clothing and shoes. Wash before reuse. Get immediate medical attention.

Eyes

In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 30 minutes. Get immediate medical attention.

Ingestion

If swallowed, give milk or water to dilute. Seek medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Antidote

None identified.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

None identified.

Special Protective Equipment and Precautions for Firefighters

Not available.

Fire Fighting Measures

Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

Section 6 - ACCIDENTAL RELEASE MEASURES



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

Personal Precautions, Protective Equipment and Emergency Procedures

Take proper precautions to ensure your own health and safety before attempting spill control or clean-up. For more specific information, refer to the Emergency Overview on Page 1, Exposure Controls and Personal Protection in Section 8 and Disposal Considerations in Section 13 of this MSDS. Wear appropriate protective equipment and clothing during clean-up. Avoid contact with skin and eyes.

Methods and Materials for Containment and Cleaning Up

Isolate area. Keep unnecessary personnel away.

Environmental Precautions

Contain the discharged material. Stop source of leak if possible. Block any potential routes to water systems. Ventilate the contaminated area. Absorb spilled product with a commercial oil absorbent, such as sand or earth. Shovel absorbed material into appropriate container for disposal. Wear appropriate protective equipment and clothing during clean-up. Avoid skin contact and inhalation of vapors during disposal of spills. Isolate area. Keep unnecessary personnel away. Follow all Local, State, Federal and Provincial regulations for disposal. Surfaces may become slippery after spillage. Block any potential routes to water systems.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Keep container tightly closed.

Conditions for Safe Storage, Including any Incompatibilities

Store locked up

Keep the container tightly closed and in a cool, well-ventilated place.

Incompatible Materials

None known.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Ammonium chloride	12125-02-9
ACGIH:	10 mg/m ³ TWA fume
	20 mg/m ³ STEL fume
NIOSH:	10 mg/m ³ TWA fume
	20 mg/m ³ STEL fume
Mexico:	10 mg/m ³ TWA LMPE-PPT fume



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

	20 mg/m ³ STEL [LMPE-CT] fume
Ammonia	7664-41-7
ACGIH:	25 ppm TWA
	35 ppm STEL
NIOSH:	25 ppmTWA; 18 mg/m ³ TWA
	35 ppmSTEL; 27 mg/m ³ STEL
	300 ppmIDLH
Europe:	20 ppm TWA; 14 mg/m ³ TWA
	50 ppm STEL; 36 mg/m ³ STEL
OSHA (US):	50 ppmTWA; 35 mg/m ³ TWA
Mexico:	25 ppmTWA LMPE-PPT; 18 mg/m ³ TWA LMPE-PPT
	35 ppmSTEL [LMPE-CT]; 27 mg/m ³ STEL [LMPE-CT]

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Use adequate local exhaust to maintain emissions at point of use below the PEL when mist or spray may be generated.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Safety glasses or chemical goggles. It is generally recognized that contact lenses should not be worn when working with chemicals because they may contribute to the severity of an eye injury.

Skin Protection

Use of an impervious apron is recommended. Use of protective coveralls and long sleeves is recommended.

Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

Glove Recommendations

Use of impervious gloves is recommended.

Protective Materials

Eye wash fountain and emergency showers are recommended.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

Appearance	Dark bluegel	Physical State	Not available
Odor		Color	Blue Gel
Odor Threshold	Not available	pH	9 - 10
Melting Point	Not available	Boiling Point	215 F at 102 C
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1 - 1.2
Water Solubility	Completely	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Physical Form	Gel

Section 10 - STABILITY AND REACTIVITY

Reactivity

Will not occur.

Chemical Stability

This is a stable material.

Possibility of Hazardous Reactions

Will not occur.

Conditions to Avoid

Avoid heat, sparks and flame.

Incompatible Materials

Acids. Oxidizing materials. Flammable and combustible materials.

Hazardous decomposition products

None known.

Section 11 - TOXICOLOGICAL INFORMATION



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

Acute and Chronic Toxicity

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath headache, nausea, and vomiting. It causes conjunctivitis leading eventually to an allergic type of reaction of the eyes. Acute selenium poisoning produces central nervous system effects, which include nervousness, convulsions, and drowsiness. Other signs of gastrointestinal distress, teeth that are discolored or decayed, odorous (garlic-like) breath, and partial loss of hair and nails. Chronic exposure by inhalation can produce symptoms that include pallor, coating of the tongue, anemia, irritation of the mucosa, lumbar pain, liver and spleen damage, as well as any of the other previously mentioned symptoms.

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50Rat >90 mL/kg

Ammonium chloride (12125-02-9)

Oral LD50Rat 1650 mg/kg

Ammonia (7664-41-7)

Oral LD50Rat 350 mg/kg

Inhalation LC50Rat 2000 ppm 4 h

Molybdenum trioxide (1313-27-5)

Inhalation LC50Rat >5840 mg/m³ 4 h

Copper (II) sulfate (7758-98-7)

Oral LD50Rat 300 mg/kg

Dermal LD50Rabbit 1000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Molybdenum trioxide	1313-27-5
DFG:	Category 3B (could be carcinogenic for man)

Germ Cell Mutagenicity

No data available.

Reproductive Toxicity



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Ammonium chloride	12125-02-9
Fish:	LC50 96 h Cyprinus carpio 209 mg/L [static]
Ammonia	7664-41-7
Fish:	LC50 96 h Cyprinus carpio 0.44 mg/L; LC50 96 h Lepomis macrochirus 0.26 - 4.6 mg/L; LC50 96 h Lepomis macrochirus 1.17 mg/L [flow-through]; LC50 96 h Pimephales promelas 0.73 - 2.35 mg/L; LC50 96 h Pimephales promelas 5.9 mg/L [static]; LC50 96 h Poecilia reticulata >1.5 mg/L; LC50 96 h Poecilia reticulata 1.19 mg/L [static]
Invertebrate:	LC50 48 h Daphnia magna 25.4 mg/L IUCLID
Copper (II) sulfate	7758-98-7
Fish:	LC50 96 h Oncorhynchus mykiss 0.1 mg/L
Invertebrate:	EC50 48 h Daphnia magna 0.0058 - 0.0073 mg/L [static] EPA

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Transport waste material to an authorized waste location, or incinerate under controlled conditions. Do not allow this material to drain into sewers/water supplies. Dispose of waste material in accordance with all



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

applicable Federal, State or provincial and local environmental regulations. See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

Section 14 - TRANSPORT INFORMATION

Component Marine Pollutants

This material contains one or more of the following chemicals required by US DOT to be identified as marine pollutants

Component	CAS #	Minimum Concentration
Copper (II) sulfate	7758-98-7	DOT regulated severe marine pollutant (anhydrous, hydrates)

US DOT Information:

Shipping Name: Corrosive Liquid, n.o.s., (Contains: Ammonium Hydroxide, Copper Sulfate)

Hazard Class: 8

UN/NA #: UN1760

Packing Group: II

Required Label(s): Corrosive

TDG Information:

Shipping Name: Corrosive Liquid, n.o.s., (Contains: Ammonium Hydroxide, Copper Sulfate)

Hazard Class: 8

UN#: UN1760

Packing Group: II

Required Label(s): Corrosive

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Ammonium chloride	12125-02-9
CERCLA:	5000 lbfinal RQ; 2270 kgfinal RQ
Ammonia	7664-41-7



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

SARA 302:	500 lb TPQ
SARA 313:	1 % de minimis concentration (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing)
CERCLA:	100 lbfinal RQ; 45.4 kgfinal RQ
OSHA (safety):	10000 lb TQ anhydrous); 15000 lb TQ solution, >44% Ammonia by weight)
SARA 304:	100 lb EPCRA RQ
Molybdenum trioxide	1313-27-5
SARA 313:	1 % de minimis concentration
Copper (II) sulfate	7758-98-7
CERCLA:	10 lbfinal RQ; 4.54 kgfinal RQ

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: no Chronic Health: no Fire: no Pressure: no Reactivity: no

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Ammonium chloride	12125-02-9	Yes	Yes	Yes	Yes	Yes
Ammonia	7664-41-7	Yes	Yes	Yes	Yes	Yes
Molybdenum trioxide	1313-27-5	No	Yes	No	Yes	Yes
Copper (II) sulfate	7758-98-7	Yes	Yes	No	Yes	Yes

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Ammonium chloride	12125-02-9
	1 %
Ammonia	7664-41-7



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

	1 %
Molybdenum trioxide	1313-27-5
	1 %
Copper (II) sulfate	7758-98-7
	1 %

Component Analysis - Inventory

Water (7732-18-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

Ammonium chloride (12125-02-9)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Ammonia (7664-41-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Molybdenum trioxide (1313-27-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Copper (II) sulfate (7758-98-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Section 16 - OTHER INFORMATION



Safety Data Sheet

Material Name: B/OX 316 Gel

SDS ID: EPI-0270c

HMIS Rating

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Disclaimer:

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Disclaimer: Supplier gives no warranty of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser will make his own tests to determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental and/or consequential property damage arising out of the use of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Material Safety Data Sheet before handling product. The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.