



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

---

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

---

**Material Name**

E-Tec 521

**Product Use**

water based. wax.

**Details of the supplier of the safety data sheet**

Electrochemical Products Inc.  
17000 West Lincoln Ave  
New Berlin, WI 53151  
Phone: 262-786-9330  
Emergency Phone #: Chemtrec #800-424-9300 (CCN7498)  
E-mail: us-sales@epi.com  
www.epi.com  
Fax: 262-786-9403

---

### Section 2 - HAZARDS IDENTIFICATION

---

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

None needed according to classification criteria

**GHS Label Elements**

**Symbol(s)**

None needed according to classification criteria

**Signal Word**

None needed according to classification criteria

**Hazard Statement(s)**

None needed according to classification criteria

**Precautionary Statement(s)**

**Prevention**

None needed according to classification criteria

**Response**

None needed according to classification criteria

**Storage**

None needed according to classification criteria

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

### Other Hazards

Vapors may be irritating and cause eye discomfort and direct eye contact irritation could be severe. May be harmful in contact with skin. May be harmful if swallowed or if inhaled.

---

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

---

CAS	Component Name	Percent
7732-18-5	Water	49-51
Trade Secret	Paraffin waxes and Hydrocarbon waxes	49-51

---

### Section 4 - FIRST AID MEASURES

---

#### Inhalation

If inhaled, immediately remove the affected person to fresh air.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### Eyes

Flush immediately with water for at least 15 minutes. Do not rub eyes. If irritation persists, get medical attention.

#### Ingestion

If swallowed, give milk or water to dilute. Seek medical attention immediately. Never give anything by mouth to an unconscious person. Call a physician immediately.

---

### Section 5 - FIRE FIGHTING MEASURES

---

#### Extinguishing Media

##### Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

##### Unsuitable Extinguishing Media

None identified.

#### Special Hazards Arising from the Chemical

None identified.

#### Hazardous Combustion Products



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

Carbon monoxide and carbon dioxides.

### Advice for firefighters

None identified.

### Fire Fighting Measures

Use methods suitable to fight surrounding fire.

---

## Section 6 - ACCIDENTAL RELEASE MEASURES

---

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye/face protection.

### Methods and Materials for Containment and Cleaning Up

Contain the spill. Mop up or squeegee into container or absorb with inert material.

### Environmental Precautions

Do not allow to enter sewers or waterways.

---

## Section 7 - HANDLING AND STORAGE

---

### Precautions for Safe Handling

Wash thoroughly after handling. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings on containers as if they were full.

### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria

Keep containers closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible materials (see Section 10).

---

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### Component Exposure Limits

Paraffin waxes and Hydrocarbon waxes	Trade Secret
ACGIH:	2 mg/m <sup>3</sup> TWA fume
NIOSH:	2 mg/m <sup>3</sup> TWA fume
Mexico:	2 mg/m <sup>3</sup> TWA LMPE-PPT fume
	6 mg/m <sup>3</sup> STEL [LMPE-CT] fume



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

### Biological limit value

There are no biological limit values for any of this product's components.

### Engineering Controls

Local exhaust is suggested for use, where possible, in enclosed or confined spaces.

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Safety glasses. It is generally recognized that contact lenses should not be worn when working with chemicals because they may contribute to the severity of an eye injury.

#### Skin Protection

Wear rubber gloves, long sleeved shirt and trousers.

#### Respiratory Protection

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

#### Glove Recommendations

Wear rubber gloves.

---

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	Opaque	<b>Physical State</b>	Liquid
<b>Odor</b>	Mild,characteristic	<b>Color</b>	Brown
<b>Odor Threshold</b>	Not available	<b>pH</b>	9 - 9.8
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	212 °F
<b>Freezing point</b>	32 °F (0 °C)	<b>Evaporation Rate</b>	(Approx. equal to Water)
<b>Boiling Point Range</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available
<b>Vapor Density (air=1)</b>	(Approx. equal to water)	<b>Specific Gravity (water=1)</b>	1 - 1.017



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

<b>Water Solubility</b>	Completely	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Density</b>	Not available		

---

### Section 10 - STABILITY AND REACTIVITY

---

#### Reactivity

No known hazardous reactions.

#### Chemical Stability

This is a stable material.

#### Possibility of Hazardous Reactions

None identified. Hazardous polymerization will not occur.

#### Conditions to Avoid

None identified.

#### Incompatible Materials

Strong oxidizing agents, acids.

#### Hazardous decomposition products

None identified. Carbon monoxide and carbon dioxides.

#### Thermal decomposition products

None identified.

---

### Section 11 - TOXICOLOGICAL INFORMATION

---

#### Acute and Chronic Toxicity

##### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

Paraffin waxes and Hydrocarbon waxes (Trade Secret)

Oral LD50 Rat >3750 mg/kg

Dermal LD50 Rabbit >3600 mg/kg

##### Immediate Effects

No information on significant adverse effects.



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

### Delayed Effects

No information on significant adverse effects.

### Irritation/Corrosivity Data

No data available.

### Respiratory Sensitization

No data available.

### Dermal Sensitization

No data available.

### Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

### Germ Cell Mutagenicity

No data available.

### Tumorigenic Data

No data available

### Reproductive Toxicity

No data available.

### Specific Target Organ Toxicity - Single Exposure

No data available.

### Specific Target Organ Toxicity - Repeated Exposure

No data available.

### Aspiration hazard

No data available.

### Medical Conditions Aggravated by Exposure

No data available.

---

## Section 12 - ECOLOGICAL INFORMATION

---

### Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components

---

## Section 13 - DISPOSAL CONSIDERATIONS

---

### Disposal Methods

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

---



# Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

No Classification assigned.

### TDG Information:

No Classification assigned.

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

All components are on the U.S. EPA TSCA Inventory List. Supplier(s) of proprietary component(s) have stated that their components appear on the Canadian DSL/NDSL.

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Paraffin waxes and Hydrocarbon waxes	Trade Secret	Yes	Yes	Yes	Yes	Yes

### Not listed under California Proposition 65

### Canada Regulations

Not a controlled product under WHMIS.

### Component Analysis - Inventory

Water (7732-18-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

Paraffin waxes and Hydrocarbon waxes (Trade Secret)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes



## Safety Data Sheet

Material Name: E-Tec 521

SDS ID: EPI-0095c

### Section 16 - OTHER INFORMATION

---

#### HMIS Rating

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

#### NFPA Ratings

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.