



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

E-Kleen 163

Product Use

Cleaner.

Manufacturer Information

Electrochemical Products Inc.
17000 West Lincoln Ave
New Berlin, WI 53151
Phone: 262-786-9330
Emergency Phone #: Chemtrec #800-424-9300 (CCN7498)
E-mail: us-sales@epi.com
www.epi.com
Fax: 262-786-9403

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute Toxicity - Dermal - Category 4

GHS Label Elements

Symbol(s)



Signal Word

Warning

Hazard Statement(s)

Harmful in contact with skin

Precautionary Statement(s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Response

IF ON SKIN: Wash with plenty of soap and water
Take off contaminated clothing and wash before reuse
Call a POISON CENTER or doctor if you feel unwell
Specific treatment (see label)

Storage

None needed according to classification criteria

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	60-100
7320-34-5	Potassium pyrophosphate	10-20
111-76-2	2-Butoxyethanol	1-5

Section 4 - FIRST AID MEASURES

Inhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Skin

Immediately flush skin with lots of running water for 5 minutes. Remove contaminated clothing and shoes. Wash before reuse. Get immediate medical attention.

Eyes

Immediately flush with lots of running water for 15 minutes, lifting the upper and lower eye lids occasionally. Washing eyes within several seconds is essential to achieve maximum effectiveness. Get immediate medical attention.

Ingestion

Do not induce vomiting. Give large quantities of water or milk. Get immediate medical attention. Do not give anything by mouth to an unconscious or convulsing person.

Section 5 - FIRE FIGHTING MEASURES



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Extinguishing Media

Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable Extinguishing Media

None identified.

Special Hazards Arising from the Chemical

None identified.

Fire Fighting Measures

Firefighters should wear full protective clothing including self contained breathing apparatus.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Isolate area. Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.

Methods and Materials for Containment and Cleaning Up

Contain the discharged material. Stop source of leak if possible. Block any potential routes to water systems. Ventilate the contaminated area. Absorb spilled product with a commercial oil absorbent, such as sand or earth. Shovel absorbed material into appropriate container for disposal. Wear appropriate protective equipment and clothing during clean-up. Avoid skin contact and inhalation of vapors during disposal of spills. Isolate area. Keep unnecessary personnel away. Follow all Local, State, Federal and Provincial regulations for disposal. Surfaces may become slippery after spillage.

Environmental Precautions

Comply with regulations for spill reporting.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings on container, as if they were full.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria

Keep in a closed container away from incompatible materials.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

2-Butoxyethanol	111-76-2
ACGIH:	20 ppm TWA
NIOSH:	5 ppmTWA; 24 mg/m ³ TWA
	Potential for dermal absorption
	700 ppmIDLH
Europe:	20 ppm TWA; 98 mg/m ³ TWA
	Possibility of significant uptake through the skin
	50 ppm STEL; 246 mg/m ³ STEL
OSHA (US):	50 ppmTWA; 240 mg/m ³ TWA
	prevent or reduce skin absorption
Mexico:	26 ppmTWA LMPE-PPT; 120 mg/m ³ TWA LMPE-PPT
	75 ppmSTEL [LMPE-CT]; 360 mg/m ³ STEL [LMPE-CT]
	Skin - potential for cutaneous absorption

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Safety glasses or chemical goggles. It is generally recognized that contact lenses should not be worn when working with chemicals because they may contribute to the severity of an eye injury.

Skin Protection

Use of protective coveralls and long sleeves is recommended to prevent skin contact.

Respiratory Protection

Use a NIOSH approved HEPA filter, or supplied air respirators when exposures reach the OSHA established PELs.

Glove Recommendations

Use impervious gloves.

Protective Materials

Eye wash fountain and emergency showers are recommended.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Appearance	Clear	Physical State	Liquid
Odor	Characteristic	Color	Clear
Odor Threshold	Not available	pH	9 - 11
Melting Point	Not available	Boiling Point	232 °F (111 °C)
Freezing point	32 °F (0 °C)	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.1223 - 1.1423
Water Solubility	Complete	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

Will not occur.

Chemical Stability

This is a stable material.

Possibility of Hazardous Reactions

Will not occur.

Conditions to Avoid

None identified.

Incompatible Materials

Strong acids.

Hazardous decomposition products

No data available.

Thermal decomposition products

None identified.



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50Rat >90 mL/kg

Potassium pyrophosphate (7320-34-5)

Oral LD50Mouse 2000 mg/kg

2-Butoxyethanol (111-76-2)

Oral LD50Rat 470 mg/kg

Dermal LD50Rabbit 99 mg/kg

Inhalation LC50Rat 450 ppm 4 h

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

2-Butoxyethanol	111-76-2
ACGIH:	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
IARC:	Monograph 88 [2006](Group 3 (not classifiable))
DFG:	Category 4 (no significant contribution to human cancer)

Germ Cell Mutagenicity

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Potassium pyrophosphate	7320-34-5
Fish:	LC50 96 h <i>Oncorhynchus mykiss</i> >100 mg/L
Invertebrate:	EC50 48 h water flea >100 mg/L
2-Butoxyethanol	111-76-2
Fish:	LC50 96 h <i>Lepomis macrochirus</i> 1490 mg/L [static]; LC50 96 h <i>Lepomis macrochirus</i> 2950 mg/L
Invertebrate:	EC50 48 h <i>Daphnia magna</i> >1000 mg/L EPA

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. In case of large spills, follow all facility Emergency Response Procedures. Do not allow this material to enter sewers/water supplies. Do not reuse container. Dispose of container and any unused contents in accordance with Federal, State, Provincial and Local Waste Regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

No Classification assigned.

TDG Information:

No Classification assigned.



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
2-Butoxyethanol	111-76-2	Yes	Yes	Yes	Yes	Yes

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

2-Butoxyethanol	111-76-2
	1 %

Component Analysis - Inventory

Water (7732-18-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

Potassium pyrophosphate (7320-34-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No

2-Butoxyethanol (111-76-2)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes



Safety Data Sheet

Material Name: E-Kleen 163

SDS ID: EPI-0110c

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.