



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

E-Kleen 196

Product Use

Alkaline cleaner.

Details of the supplier of the safety data sheet

Electrochemical Products Inc.

17000 West Lincoln Ave

New Berlin, WI 53151

Phone: 262-786-9330

Emergency Phone #: NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

E-mail: us-sales@epi.com

www.epi.com

Fax: 262-786-9403

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Skin Corrosion/Irritation - Category 1

Serious Eye Damage/Eye Irritation - Category 1

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

Causes severe skin burns and eye damage

Precautionary Statement(s)

Prevention



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Wear protective gloves/protective clothing/eye protection/face protection
Wash thoroughly after handling
Do not breathe dusts or mists

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
Immediately call a POISON CENTER or doctor
Specific treatment (see label)

Storage

Store locked up

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	60-90
1344-09-8	Sodium silicate	5-10
1310-73-2	Sodium hydroxide	5-10
34590-94-8	Dipropylene glycol monomethyl ether	1-5
107-98-2	Propylene glycol monomethyl ether	1-5
122-99-6	Ethylene glycol monophenyl ether	1-5
NA	Surfactant	1-5

Section 4 - FIRST AID MEASURES

Inhalation



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Remove to fresh air. Give oxygen if breathing is difficult. Give artificial respiration if not breathing. Get immediate medical attention.

Skin

Immediately flush skin with lots of running water for 30 minutes. Remove contaminated clothing and shoes. Wash before reuse. Get immediate medical attention.

Eyes

Immediately flush with lots of running water for 30 minutes, lifting the upper and lower eye lids occasionally. Washing eyes within several seconds is essential to achieve maximum effectiveness. Get immediate medical attention.

Ingestion

Do not induce vomiting. Give large quantities of water or milk. Get immediate medical attention. Do not give anything by mouth to an unconscious or convulsing person.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

None identified.

Hazardous Combustion Products

None identified.

Fire Fighting Measures

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Take proper precautions to ensure your own health and safety before attempting spill control or clean-up. For more specific information, refer to the Emergency Overview on Page 1, Exposure Controls and Personal Protection in Section 8 and Disposal Considerations in Section 13 of this SDS. Isolate area. Keep unnecessary personnel away. Wear appropriate protective equipment during cleanup.

Methods and Materials for Containment and Cleaning Up

After containment, it should be shoveled up or removed by vacuum truck (if liquid) to chemical waste area. Neutralize residue with dilute acid. Flush spill area with water followed by liberal coverage of Sodium Bicarbonate.



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Environmental Precautions

Comply with regulations for spill reporting.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Store locked up

Store in a well-ventilated place. Keep container tightly closed.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Sodium hydroxide	1310-73-2
ACGIH:	2 mg/m ³ Ceiling
NIOSH:	2 mg/m ³ Ceiling
	10 mg/m ³ IDLH
OSHA (US):	2 mg/m ³ TWA
Mexico:	2 mg/m ³ Ceiling
Dipropylene glycol monomethyl ether	34590-94-8
ACGIH:	100 ppm TWA
	150 ppm STEL
	Skin - potential significant contribution to overall exposure by the cutaneous route
NIOSH:	100 ppm TWA; 600 mg/m ³ TWA
	150 ppm STEL; 900 mg/m ³ STEL
	Potential for dermal absorption
	600 ppm IDLH



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Europe:	50 ppm TWA; 308 mg/m ³ TWA
	Possibility of significant uptake through the skin
OSHA (US):	100 ppm TWA; 600 mg/m ³ TWA
	prevent or reduce skin absorption
Mexico:	100 ppm TWA LMPE-PPT; 60 mg/m ³ TWA LMPE-PPT
	150 ppm STEL [LMPE-CT]; 900 mg/m ³ STEL [LMPE-CT]
	Skin - potential for cutaneous absorption
Propylene glycol monomethyl ether	107-98-2
ACGIH:	50 ppm TWA
	100 ppm STEL
NIOSH:	100 ppm TWA; 360 mg/m ³ TWA
	150 ppm STEL; 540 mg/m ³ STEL
Europe:	100 ppm TWA; 375 mg/m ³ TWA
	Possibility of significant uptake through the skin
	150 ppm STEL; 568 mg/m ³ STEL

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses with side shields (or chemical goggles).

Skin Protection

The use of protective coveralls and long sleeved clothing is recommended for prolonged or repeated contact.

Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

Glove Recommendations

Wear impervious gloves.

Protective Materials

Eye wash fountain and emergency showers are recommended.



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear Water White Solution	Physical State	Liquid
Odor	Mild Sweet Odor	Color	White
Odor Threshold	Not available	pH	12 - 14
Melting Point	Not available	Boiling Point	214 °F (101 °C)
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.06 - 1.095
Water Solubility	Complete	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

Will not occur.

Chemical Stability

This is a stable material.

Possibility of Hazardous Reactions

Will not occur.

Conditions to Avoid



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Avoid contact with extreme heat.

Incompatible Materials

Avoid contact with acids.

Hazardous decomposition products

None identified.

Section 11 - TOXICOLOGICAL INFORMATION

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Water (7732-18-5)

Oral LD50 Rat >90 mL/kg

Sodium silicate (1344-09-8)

Oral LD50 Rat 1960 mg/kg

Sodium hydroxide (1310-73-2)

Dermal LD50 Rabbit 1350 mg/kg

Dipropylene glycol monomethyl ether (34590-94-8)

Oral LD50 Rat 5400 µL/kg

Dermal LD50 Rabbit 9500 mg/kg

Propylene glycol monomethyl ether (107-98-2)

Oral LD50 Rat 5000 mg/kg

Dermal LD50 Rabbit 13 g/kg

Inhalation LC50 Rat >6 mg/L 4 h

Ethylene glycol monophenyl ether (122-99-6)

Oral LD50 Rat 1260 mg/kg

Dermal LD50 Rabbit 5 mL/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Propylene glycol monomethyl ether	107-98-2
ACGIH:	A4 - Not Classifiable as a Human Carcinogen

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Sodium silicate	1344-09-8
Fish:	LC50 96 h Lepomis macrochirus 301 - 478 mg/L; LC50 96 h Brachydanio rerio 3185 mg/L [semi-static]
Sodium hydroxide	1310-73-2
Fish:	LC50 96 h Oncorhynchus mykiss 45.4 mg/L [static]
Dipropylene glycol monomethyl ether	34590-94-8
Fish:	LC50 96 h Pimephales promelas >10000 mg/L [static]
Invertebrate:	LC50 48 h Daphnia magna 1919 mg/L IUCLID
Propylene glycol monomethyl ether	107-98-2
Fish:	LC50 96 h Pimephales promelas 20.8 g/L [static]



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

Invertebrate:	EC50 48 h Daphnia magna 23300 mg/L IUCLID
Ethylene glycol monophenyl ether	122-99-6
Fish:	LC50 96 h Pimephales promelas 337 - 352 mg/L [flow-through]; LC50 96 h Pimephales promelas 366 mg/L [static]
Algae:	EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna >500 mg/L IUCLID

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Do not allow this material to drain into sewers/water supplies. The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: Sodium hydroxide, solution

Hazard Class: 8

UN/NA #: UN1824

Packing Group: II

Required Label(s): Corrosive

TDG Information:

Shipping Name: Sodium hydroxide, solution

Hazard Class: 8

UN#: UN1824

Packing Group: II

Required Label(s): Corrosive

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Sodium hydroxide	1310-73-2
CERCLA:	1000 lb final RQ; 454 kg final RQ

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Sodium hydroxide	1310-73-2	Yes	Yes	Yes	Yes	Yes
Dipropylene glycol monomethyl ether	34590-94-8	Yes	Yes	Yes	Yes	Yes
Propylene glycol monomethyl ether	107-98-2	Yes	Yes	Yes	Yes	Yes

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Sodium hydroxide	1310-73-2
	1 %
Dipropylene glycol monomethyl ether	34590-94-8
	1 %
Propylene glycol monomethyl ether	107-98-2
	1 %
Ethylene glycol monophenyl ether	122-99-6
	1 %

Component Analysis - Inventory

Water (7732-18-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

Sodium silicate (1344-09-8)



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Sodium hydroxide (1310-73-2)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Dipropylene glycol monomethyl ether (34590-94-8)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Propylene glycol monomethyl ether (107-98-2)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Ethylene glycol monophenyl ether (122-99-6)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend



Safety Data Sheet

Material Name: E-Kleen 196

SDS ID: EPI-0114c

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act.; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Disclaimer:

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse..