



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

---

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

---

**Material Name**

E-Pik 215

**Product Use**

Acid salt.

**Details of the supplier of the safety data sheet**

Electrochemical Products Inc.

17000 West Lincoln Ave

New Berlin, WI 53151

Phone: 262-786-9330

Emergency Phone #: NCEC (#EPI-29003) +1 202 464 2554, +44 1865 407333

E-mail: us-sales@epi.com

www.epi.com

Fax: 262-786-9403

---

### Section 2 - HAZARDS IDENTIFICATION

---

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Acute Toxicity - Oral - Category 4

Acute Toxicity - Dermal - Category 2

**GHS Label Elements****Symbol(s)****Signal Word**

Danger

**Hazard Statement(s)**

Harmful if swallowed.

Fatal in contact with skin.

**Precautionary Statement(s)****Prevention**



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

Wear protective gloves/protective clothing/eye protection/face protection.  
Do not get in eyes, on skin, or on clothing.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.

### Response

None needed according to classification criteria

### Storage

Store locked up.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Statement of Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown acute toxicity.

### Other Hazards

Causes severe eye, skin and respiratory tract irritation. Ingestion of this preparation is unlikely. However, ingestion may produce gastrointestinal irritation and disturbances.

---

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

---

| CAS       | Component Name   | Percent |
|-----------|------------------|---------|
| 7681-38-1 | Sodium bisulfate | 75-95   |
| 7681-49-4 | Sodium fluoride  | 5-20    |

---

## Section 4 - FIRST AID MEASURES

---

### Inhalation

If inhaled, remove victim to fresh air.

### Skin

Flush with water. Wash with soap and water.

### Eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do NOT induce vomiting.

### Note to Physicians



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

None identified.

---

### Section 5 - FIRE FIGHTING MEASURES

---

#### Extinguishing Media

##### Suitable Extinguishing Media

Dry chemical, alcohol foam, carbon dioxide, water spray.

##### Unsuitable Extinguishing Media

Avoid using a direct stream of water.

#### Special Hazards Arising from the Chemical

Extinguish all nearby sources of ignition since flammable hydrogen gas will be liberated from contact with some metals.

#### Hazardous Combustion Products

When heated over 570°, sulfur dioxide and sulfur trioxide are formed.

#### Fire Fighting Measures

Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

---

### Section 6 - ACCIDENTAL RELEASE MEASURES

---

#### Personal Precautions, Protective Equipment and Emergency Procedures

Take proper precautions to ensure your own health and safety before attempting spill control or clean-up. For more specific information, refer to the Emergency Overview on Page 1, Exposure Controls and Personal Protection in Section 8 and Disposal Considerations in Section 13 of this SDS.

#### Methods and Materials for Containment and Cleaning Up

Sweep up material and place into a sealable, properly labeled container for disposal. Contain the discharged material, if this is without risk.

#### Environmental Precautions

Do not flush to sewer. Comply with regulations for spill reporting.

---

### Section 7 - HANDLING AND STORAGE

---

#### Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing.

#### Conditions for Safe Storage, Including any Incompatibilities

Store locked up.



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

Keep the container tightly closed in original container and in a cool, well-ventilated place.

---

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

#### Component Exposure Limits

|                 |                                 |
|-----------------|---------------------------------|
| Sodium fluoride | 7681-49-4                       |
| NIOSH:          | 2.5 mg/m <sup>3</sup> TWA as F  |
|                 | 250 mg/m <sup>3</sup> IDLH as F |

#### EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

#### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

#### Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces.

#### Individual Protection Measures, such as Personal Protective Equipment

##### Eye/face protection

Wear chemical goggles; face shield (if splashing is possible).

##### Skin Protection

Use of protective coveralls and long sleeves is recommended.

##### Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

##### Glove Recommendations

Use of impervious gloves is recommended.

##### Protective Materials

Eye wash fountain and emergency showers are recommended in the workplace. Use good industrial hygiene practices in handling this material.

---

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

---

|                   |                     |                       |                    |
|-------------------|---------------------|-----------------------|--------------------|
| <b>Appearance</b> | White to light tan. | <b>Physical State</b> | Powder             |
| <b>Odor</b>       | Characteristic      | <b>Color</b>          | White to light tan |



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

|                              |               |   |               |
|------------------------------|---------------|---|---------------|
| <b>Odor Threshold</b>        | Not available | <b>pH</b>                                     | Not available |
| <b>Melting Point</b>         | Not available | <b>Boiling Point</b>                          | Not available |
| <b>Freezing point</b>        | Not available | <b>Evaporation Rate</b>                       | Not available |
| <b>Boiling Point Range</b>   | Not available | <b>Flammability (solid, gas)</b>              | Not available |
| <b>Autoignition</b>          | Not available | <b>Flash Point</b>                            | Not available |
| <b>Lower Explosive Limit</b> | Not available | <b>Decomposition</b>                          | Not available |
| <b>Upper Explosive Limit</b> | Not available | <b>Vapor Pressure</b>                         | Not available |
| <b>Vapor Density (air=1)</b> | Not available | <b>Specific Gravity (water=1)</b>             | Not available |
| <b>Water Solubility</b>      | Complete      | <b>Partition coefficient: n-octanol/water</b> | Not available |
| <b>Viscosity</b>             | Not available | <b>Solubility (Other)</b>                     | Not available |
| <b>Density</b>               | Not available |   |               |

---

### Section 10 - STABILITY AND REACTIVITY

---

#### Reactivity

Will not occur.

#### Chemical Stability

This is a stable material.

#### Possibility of Hazardous Reactions

Will not occur.

#### Conditions to Avoid

Avoid contact with extreme heat.

#### Incompatible Materials

This product may react with alkalis, strong reducing agents, organic compounds and cyanides. Flammable and combustible materials.

#### Hazardous decomposition products

None, unless heated over 570° at which sulfur dioxide and sulfur trioxide are formed.

---



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

### Section 11 - TOXICOLOGICAL INFORMATION

#### Acute and Chronic Toxicity

##### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Sodium bisulfate (7681-38-1)

Oral LD50 Rat 2490 mg/kg

Sodium fluoride (7681-49-4)

Oral LD50 Rat 52 mg/kg

Dermal LD50 Rat 175 mg/kg

##### Immediate Effects

No information on significant adverse effects.

##### Delayed Effects

No information on significant adverse effects.

##### Irritation/Corrosivity Data

No data available.

##### Respiratory Sensitization

No data available.

##### Dermal Sensitization

No data available.

##### Component Carcinogenicity

|                 |  |
|-----------------|--|
| Sodium fluoride | 7681-49-4  |
| IARC:           | Supplement 7 [1987] (Group 3 (not classifiable)) |

##### Germ Cell Mutagenicity

No data available.

##### Tumorigenic Data

No data available

##### Reproductive Toxicity

No data available.

##### Specific Target Organ Toxicity - Single Exposure

No data available.

##### Specific Target Organ Toxicity - Repeated Exposure

No data available.

##### Aspiration hazard

No data available.



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

### Medical Conditions Aggravated by Exposure

No data available.

---

## Section 12 - ECOLOGICAL INFORMATION

---

### Component Analysis - Aquatic Toxicity

|                  |  |
|------------------|--|
| Sodium bisulfate | 7681-38-1  |
| Invertebrate:    | EC50 48 h Daphnia magna 190 mg/L IUCLID  |
| Sodium fluoride  | 7681-49-4  |
| Fish:            | LC50 96 h Lepomis macrochirus >530 mg/L; LC50 96 h Lepomis macrochirus 830 mg/L [semi-static]; LC50 96 h Oncorhynchus mykiss 38 - 68 mg/L [static]; LC50 96 h Pimephales promelas 180 mg/L [semi-static] |
| Algae:           | EC50 96 h Pseudokirchneriella subcapitata 272 mg/L IUCLID; EC50 72 h Desmodesmus subspicatus 850 mg/L [static] EPA   |
| Invertebrate:    | EC50 48 h Daphnia magna 338 mg/L IUCLID; EC50 48 h Daphnia magna 98 mg/L [Static] EPA  |

---

## Section 13 - DISPOSAL CONSIDERATIONS

---

### Disposal Methods

Dispose of waste material in accordance with all applicable Federal, State or provincial and local environmental regulations. See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

---

## Section 14 - TRANSPORT INFORMATION

---

### Component Marine Pollutants (TDG)

This material contains one or more of the following chemicals required by CA TDG to be identified as marine pollutants

Sodium fluoride (7681-49-4)  
UN1690 (solid); UN3415 (solution)  
UN1690 (solid); UN3415 (solution)



# Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

### US DOT Information:

Shipping Name: SODIUM FLUORIDE SOLID

Hazard Class: 6.1

UN/NA #: 1690

Packing Group: III

Required Label(s): Toxic

### TDG Information:

Shipping Name: SODIUM FLUORIDE SOLID

Hazard Class: 6.1

UN#: 1690

Packing Group: III

Required Label(s): Toxic

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

|                 |                                   |
|-----------------|-----------------------------------|
| Sodium fluoride | 7681-49-4                         |
| CERCLA:         | 1000 lb final RQ; 454 kg final RQ |

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component       | CAS       | CA  | MA  | MN | NJ  | PA  |
|-----------------|-----------|-----|-----|----|-----|-----|
| Sodium fluoride | 7681-49-4 | Yes | Yes | No | Yes | Yes |

### Not listed under California Proposition 65

### Canada Regulations

This material is a controlled product under Canadian WHMIS regulations.

### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

|                  |           |
|------------------|-----------|
| Sodium bisulfate | 7681-38-1 |
|                  | 1 %       |





# Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

|                 |           |
|-----------------|-----------|
| Sodium fluoride | 7681-49-4 |
|                 | 1 %       |

### Component Analysis - Inventory

Sodium bisulfate (7681-38-1)

| US  | CA  | EU  | AU  | PH  | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN  | NZ  | MX  |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes       | Yes       | Yes            | No        | Yes | Yes | Yes |

Sodium fluoride (7681-49-4)

| US  | CA  | EU  | AU  | PH  | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN  | NZ  | MX  |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes       | No        | Yes            | No        | Yes | Yes | Yes |

## Section 16 - OTHER INFORMATION

### HMIS Rating

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

### NFPA Ratings

Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of



## Safety Data Sheet

Material Name: E-Pik 215

SDS ID: EPI-0233c

Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act.; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

### Other Information

#### Disclaimer:

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse..